New Jersey Division of AIDS Prevention and Control Persons Living with HIV/AIDS as of December 31, 2002 Ocean County Residents

1.	Current HIV/AIDS Category	Adult/Adolescent * Cases %	ŧ	Pediat	%	_	Tota ases	%
	AIDS-Any OI AIDS-CD4 Only HIV Only	# # 169 36 # #		# 0 #	 # 0 #		78 169 225	17 36 48
	Total	465 100		7	100	_	472	100
2.	Current Age * Cases %	3. Race/Eth.		Adult/. Cases	% C	Pediatric* Cases %	Cases	l %
	<pre><5 # # 5-12 # # 13-19 6 1 20-29 28 6 30-39 111 24</pre>	White, Not His Black, Not His Hispanic Other/Unknown	spanic spanic	# 84 67	# 18 14 #	# # # 14 # 14 0 0	315 85 68 #	67 18
	40-49 212 45 50+ 108 23 Unk. 0 0	Total		465		7 100	472	
	Total 472 100							
4.	Patient Group	Males	%		Females		Tota	
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***	98 103 10 30 63	3 33 3 34 0 3 0 10 1 20		0 50 0 70 40	0 31 0 44 25	15 1 10 10	8 21 1 33 0 2 0 22 1 22
	Total	300			160	100	46	
		Males	%	:	Females		Tota	
	Parent at risk/has AIDS/HIV Risk not reported/other***	 ‡ (# #		# 0	# 0		2 100 0 0
	Total				#	#	1	2 100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification based on current age at the end of December 2002.
- ** 5 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control AIDS Cases Reported as of December 31, 2002 Ocean County Residents

Adult/Adolescent*

			Adult/Ado.	lescent^	Pea:	latric^	•	Total
1. Disease Ca	ategory		es (%)	Deaths (%)	Cases (%)	Deaths (%	Cases (%)	Deaths (%)
	e Listed		211 (27) 240 (31) 20 (3)	186 (89) 196 (82) 19 (95) 132 (44)		# (3 0 (0 (0) 250 (32) .) 20 (3) .) 301 (38)	199 (80)
Total			772 (100)	533 (70)	18 (100)		6) 790 (100)	543 (69)
2. Age *	Cases	%	3. Race	/Eth.	Adult/Adl* Cases %		Cases %	
Under 5	12	2	White	e, Not Hispanic		10 56		 1
5-12	6	1	Blac	k, Not Hispanic	146 19	5 28	151 1	9
13-19	5	1	Hispa	anic	# #	# #	79 1	0
20-29	88	11	Othe:	r/Unknown	# #	# #	# :	#
30-39	335	42						
40-49	251	32	Tota	l	772 100	18 100	790 10	0
Over 49	93	12						
Unknown	0	0						
Total	790	100						

Pediatric*

9 100

Total

4. Patient Group	Ad	lult/Adol	lescent Trans	missio	n Modes **	
-	Males	8	Females	용	Total	%
Men sex with men (MSM)	191	33			191	25
Injection drug user (IDU)	251	43	91	48	342	44
MSM/IDU	30	5	0	0	30	4
Heterosexual contact	24	4	70	37	94	12
Risk not reported/other***	85	15	30	16	115	15
Total	581	100	191	100	772	100
		Pedia	atric Transmi	ssion	Modes	
	Males	%	Females	8	Total	%
Parent at risk/has AIDS/HIV	#	#	#	#	16	89
Risk not reported/other***	#	#	#	#	2	11

Total

9 100

[#] Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

^{*} Classification at time of AIDS diagnosis.

^{** 0} patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

^{***} Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control AIDS Cases Reported as of December 31, 2002 Ocean County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	9	9	100%
1985	12	11	92%
1986	20	20	100%
1987	26	26	100%
1988	35	35	100%
1989	57	53	93%
1990	56	47	84%
1991	51	46	90%
1992	68	59	87%
1993	105	82	78%
1994	83	56	67%
1995	77	43	56%
1996	39	13	33%
1997	35	14	40%
1998	19	9	47%
1999	23	7	30%
2000	31	7	23%
2001	24	#	#
2002	20	#	#
Total	790	543	69%

[#] Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

New Jersey Division of AIDS Prevention and Control HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2002 Ocean County Residents

				Adult/	Adl*	Pediat	ric*	Total	
1. Age *	Cases	%	Race/Ethnicity	Cases	%	Cases	%	Cases	%
Under 5	#	#	White, Not Hispanic	#	#	#	#	177	66
5-12	#	#	Black, Not Hispanic	#	#	#	#	52	19
13-19	6	2	Hispanic	40	15	0	0	40	15
20-29	50	18	Other/Unknown	#	#	#	#	#	#
30-39	116	43							
40-49	74	27	Total	267	100	#	100	271	100
Over 49	21	8							
Unknown	0	0							
Total	271	100							

3. Patient Group	Ac	lult/Adol	escent Transmission	Modes **	
	Males	%	Females %	Total	용
Men sex with men (MSM)	 51	31	0 0	 51	 19
Injection drug user (IDU)	60	37	36 35	96	36
MSM/IDU	5	3	0 0	5	2
Heterosexual contact	17	10	40 39	57	21
Risk not reported/other***	31	19	27 26	58	22
Total	164	100	103 100	267	100
		Pedia	tric Transmission Moo	des	
	Males	%	Females %	Total	%
Parent at risk/has AIDS/HIV	#	#	# #	#	#
Risk not reported/other***	0	0	0 0	0	0
Total	#	#	# #		#

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- ** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of AIDS Prevention and Control HIV/AIDS Cases Reported as of December 31, 2002 Ocean County Residents

1.	Current H			(Cases	dolescent * %	Cas	es	cic *		Cas		%	
	AIDS-Any (AIDS-CD4 (HIV Only	Only			471 # #	45 # #		18 # #	82 # #		3	89 01 71	46 28 26	
	Total			-	1039			22	100				100	
							Adult/				ric*			otal
2.	Age *	Cases			ce/Eth		Cases			ses	% 		Cases	%
	Under 5	#				 Not Hispanic				13			735	
	5-12	#	#	Bla	ack, 1	Not Hispanic	197	19		6	27		203	19
	13-19	14	1		spanio		#	#		#	#		119	11
	20-29	158	15			nknown	#	#		#	#		#	#
	30-39	464												
	40-49	296		Tot	tal		1039	100		22	100		1061	100
	Over 49	107												
	Unknown	0												
		1061												
4.	Patient G	roup				Ad	ult/Adole:	scent	Trans	missi	on Mod	es **		
						Males	%	F	Temales	왕		Total	%	
								-						
		ith men (M				242				0		242		
	Injection	drug user	(IDU)			311			127				42	
	MSM/IDU					35	5 6		0 110				3 15	
	Risk not	ual contac reported/c				116			57			173		
								_						
	Total					745	100		294	100		1039	100	
							Pediat:	ric T	ransmi	ssion	n Modes			
						Males	%	_	Temales	-		Total	-	
									11					
	Parent at Risk not					9 #			11 #			20 #	91 #	
		reported/0 							#					

11 100 11 100 22 100

NOTE: Includes only those persons known to be infected with HIV.

- Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification at time of first HIV+/AIDS diagnosis.

Total

- ** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control HIV/AIDS Cases Reported as of December 31, 2002 Ocean County Residents

5. ${\tt HIV/AIDS}$ Cases by Year of First ${\tt HIV/AIDS}$ Diagnosis.

Year of First HIV/AIDS Diagnos	is Cases	Number Known Dead	Case-Fatality Rate
Before 1985	10	9	90%
1985	17	16	94%
1986	28	25	89%
1987	41	37	90%
1988	59	52	88%
1989	72	66	92%
1990	84	56	67%
1991	80	60	75%
1992	107	62	58%
1993	110	65	59%
1994	102	54	53%
1995	80	31	39%
1996	48	14	29%
1997	43	7	16%
1998	36	11	31%
1999	44	12	27%
2000	49	7	14%
2001	27	#	#
2002	24	#	#
Total	1061	589	56%

NOTE: Includes only those persons known to be infected with HIV.

[#] Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.